

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	((("6363258") or ("5809018") or ("5635914")).PN.	USPAT	OR	OFF	2008/04/01 12:44
L2	0	(group adj call or talk adj group).ab. and (source or originat\$3) with (floor adj control) with request\$3 with ((response or respond\$3) near3 delay\$3) and (reverse adj2 access adj channel or r-ach or r-each or reverse adj common adj channel) and ((page or paging) with (source or originat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:51
L3	0	(group adj call or talk adj group).ab. and (source or originat\$3) with (floor adj control) with request\$3 with ((response or respond\$3) near3 delay\$3) and ((page or paging) with (source or originat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:52
L4	0	(group adj call or talk adj group) and (source or originat \$3) with (floor adj control) with request\$3 with ((response or respond\$3) near3 delay\$3) and ((page or paging) with (source or originat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:52

L5	0	(group adj call or talk adj group) and (source or originat \$3) with (floor adj control) with request\$3 with ((response or respond\$3) near3 delay\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:52
L6	0	(group adj call or talk adj group).ab. and (source or originat\$3) with (floor adj control) with request\$3 with ((response or respond\$3) with (postpon\$3 or delay \$3)) and (reverse adj2 access adj channel or r-ach or r-each or reverse adj common adj channel) and ((page or paging) with (source or originat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:53
L7	0	(group adj call or talk adj group).ab. and (source or originat\$3) with (floor adj control) with request\$3 with ((response or respond\$3) with (postpon\$3 or delay \$3)) and ((page or paging) with (source or originat \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:53

L8	0	(group adj call or talk adj group) and (source or originat \$3) with (floor adj control) with request\$3 with ((response or respond\$3) with (postpon\$3 or delay \$3)) and ((page or paging) with (source or originat \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:53
L9	0	(group adj call or talk adj group) and (source or originat \$3) with (floor adj control) with request\$3 with ((response or respond\$3) with (postpon\$3 or delay \$3)) and (page or paging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:53
L10	1	(group adj call or talk adj group) and (source or originat \$3) with (floor adj control) with request\$3 with ((response or respond\$3)) and (page or paging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:54
L11	1	(group adj call or talk adj group or ptt or push adj2 talk) and (source or originat\$3) with (floor adj control) with request\$3 with ((response or respond\$3)) and (page or paging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:55

L12	59	(group adj call or talk adj group or ptt or push adj2 talk) and (floor adj control) with request\$3 with ((response or respond\$3)) and (page or paging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:56
L13	24	12 and ((floor adj control) with request\$3 with (response or respond\$3) with (postpon\$3 or delay \$3)) and ((page or paging) with (source or originat \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:57
L14	23	13 not 11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:57
L15	23	14 and ((avoid\$3 with simultaneous) or (race adj condition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:58
L16	23	15 and (reverse adj2 access adj channel or r-ach or r-each or reverse adj common adj channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:59
L17	23	15 and (sdb or short adj data adj burst)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:59
L18	23	16 and (sdb or short adj data adj burst)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 12:59

L19	35	12 not 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:05
L20	0	(group adj call or talk adj group or ptt or push adj2 talk) and ((source or originat\$3 or initiat\$3) with (floor adj control) with request\$3 with (response or respond\$3) with (postpon\$3 or delay \$3)) and (reverse adj2 access adj channel or r-ach or r-each or reverse adj common adj channel) and ((page or paging) with (source or originat\$3 or initiat \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:48
L21	6	(group adj call or talk adj group or ptt or push adj2 talk) and ((source or originat\$3 or initiat\$3) with (floor adj control) with request\$3) and ((floor adj control or request) with (response or respond\$3) with (postpon\$3 or delay \$3)) and (reverse adj2 access adj channel or r-ach or r-each or reverse adj common adj channel) and ((page or paging) with (source or originat\$3 or initiat \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:49

L22	24	(group adj call or talk adj group or ptt or push adj2 talk) and ((floor adj control) with request\$3) and ((floor adj control or request) with (response or respond\$3) with (postpon\$3 or delay \$3)) and (reverse adj2 access adj channel or r-ach or r-each or reverse adj common adj channel) and ((page or paging) with (source or originat\$3 or initiat \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:50
L23	0	22 not 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:50
L24	24	(group adj call or talk adj group or ptt or push adj2 talk) and ((floor adj control) with request\$3) and ((floor adj control or request) with (response or respond\$3) with (postpon\$3 or delay \$3)) and ((page or paging) with (source or originat \$3 or initiat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:50
L25	0	24 not 22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:51

L26	0	((group adj call or talk adj group or ptt or push adj2 talk) and ((floor adj control) with request\$3) and ((floor adj control or request) with (response or respond\$3) with (postpon\$3 or delay \$3)) and ((page or paging) with (source or originat \$3 or initiat\$3))). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:51
L27	44	((group adj call or talk adj group or ptt or push adj2 talk) and ((floor adj control) with request\$3) and ((floor adj control or request) with (response or respond\$3) with (postpon\$3 or delay \$3)) and (page or paging))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:51
L28	0	27 not 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:51
L29	0	((group adj call or talk adj group or ptt or push adj2 talk) and ((floor adj control) with request\$3) and ((floor adj control or request) with (response or respond\$3) with (postpon\$3 or delay \$3)) and (page or paging)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:52

L30	0	((group adj call or talk adj group or ptt or push adj2 talk) and ((floor adj control) with request\$3) and ((floor adj control or request) with (response or respond\$3) with (postpon\$3 or delay \$3 or (avoid\$3 with simultaneous) or race adj condition)) and (page or paging)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:53
L31	45	((group adj call or talk adj group or ptt or push adj2 talk) and ((floor adj control) with request\$3) and ((floor adj control or request) with (response or respond\$3) with (postpon\$3 or delay \$3 or (avoid\$3 with simultaneous) or race adj condition)) and (page or paging))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:53
L32	0	31 not 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:53
L33	6	21 and computer adj readable adj medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:54
S1	2	((("6449491") or ("5966378")).PN.	USPAT	OR	OFF	2008/02/13 16:01

S2	0	(access adj channel) with (floor adj control adj request and (service adj origination or group adj call))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 16:06
S3	26	(access adj channel adj capsule)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 16:06
S4	0	(access adj channel adj capsule) with bundl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 16:06
S5	1	(access adj channel adj capsule) and (ptt or push adj2 talk or floor adj control or group adj call)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 16:07
S6	1	(access adj channel adj capsule) with (short or burst\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 16:09
S7	2	(access adj channel adj capsule) with (cdma)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 16:10
S8	1	(access adj channel adj capsule) with (request\$3 or origination)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 16:11

4/ 1/ 08 2:03:43 PM

C:\Documents and Settings\egary\My Documents\EAST\Workspaces\10016975.wsp